

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,960,176 B1
APPLICATION NO. : 10/783008
DATED : November 1, 2005
INVENTOR(S) : John P. Hely et al.

Page 1 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


The title page should be deleted and substitute therefor the attached title page as shown on the attached page.

Drawings:

Delete drawing sheets 1-6, and substitute therefor the drawing sheets consisting of Figs. 1-12 as shown on the attached pages.

Signed and Sealed this

Eleventh Day of September, 2007

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D".

JON W. DUDAS
Director of the United States Patent and Trademark Office

(12) **United States Patent**
Hely et al.

(10) Patent No.: **US 6,960,176 B1**
(45) Date of Patent: **Nov. 1, 2005**

(54) **REINFORCED WRIST BRACE WITH GANG CONNECTED MULTIPLE STRAPS**

(75) Inventors: **John P. Hely, Oxnard, CA (US);**
Martha M. Ortega, Oxnard, CA (US)

(73) Assignee: **Weber Orthopedic Inc., Santa Paula, CA (US)**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 10/783,008

(22) Filed: Feb. 23, 2004

(51) Int. Cl.⁷ A61F 13/00

(52) U.S. Cl. 602/21; 602/20; 602/64

(58) Field of Search 602/5, 20, 21,
602/22, 61, 64; D24/190; 2/162, 170, 16;
128/869, 877, 878, 879

(56) References Cited

U.S. PATENT DOCUMENTS

2,206,404 A 7/1940 Jones

4,854,309 A 8/1989 Elsey
5,307,521 A • 5/1994 Davis 2/22
5,415,624 A • 5/1995 Williams 602/21
5,769,804 A 6/1998 Harris et al.
5,982,285 A 11/1999 Bueche et al.
6,024,715 A • 2/2000 Maxwell 602/64
6,398,748 B1 6/2002 Wilson

* cited by examiner

Primary Examiner—Kim M. Lewis


(74) Attorney, Agent, or Firm—William W. Haefliger



(57)

ABSTRACT

A wrist brace comprising in combination, a flexible holder to receive the user's wrist and having two flaps adapted to be closed toward one another or toward the wrist to secure the holder about the wrist of the user, a carrier flap on the holder, tightening straps associated with the carrier flap, at the straps having end portions anchored by the carrier, loops on a flap to pass the straps, the straps and carrier having connective material thereon, whereby the straps can be pulled and tightened after passing through said loops, to adjustably press-together on the connective material on the carrier.

20 Claims, 6 Drawing Sheets









U.S. Patent

Nov. 1, 2005

Sheet 2 of 6

6,960,176 B1







U.S. Patent

Nov. 1, 2005

Sheet 4 of 6

6,960,176 B1





U.S. Patent

Nov. 1, 2005

Sheet 5 of 6

6,960,176 B1



U.S. Patent

Nov. 1, 2005

Sheet 6 of 6

6,960,176 B1

